



**OUTDOOR LIGHTING STANDARDS COMMITTEE**  
**MEETING MINUTES**

MEETING HELD AT CITY HALL

**March 30, 2011**

**7:00pm**

**MEMBERS PRESENT:** Ralph Mossman (conduction), Tony Goe, Greer Jones and Carl Jordan.

**OTHERS PRESENT:** Doug Self, Driggs Planning and Zoning Administrator.

**1) Approval of Minutes**

Tony Goe moved to approve the minutes. Greer Jones seconded the motion. The motion passed with all in favor.

**2) Review of Draft Ordinance Provided by Carl Jordan**

Ralph Mossman and Carl Jordan presented changes made by the subcommittee appointed to work through the definitions.

Tony Goe suggested changing 'color temperature discount' to 'color temperature adjustment'.

The committee discussed the definition of lamp strings and how it would apply to rope strings. The committee made a slight modification to state that it would include "LED lamps when individually integrated *within* a light-dispersing refractor.

Carl suggested a change to the fixture definition – "together with those".

The Committee moved on to reviewing the Applicability section. The Committee agreed to add an 'adjusted lumens' definition, and to use the term 'adjusted lumens' in the standards sections.

The committee discussed the problem of greenhouses. The committee agreed that one option would be for nighttime lighting of greenhouses to be a conditional use permit, and that these outdoor lighting standards would not apply in such a case.

Ralph requested the committee look at the celebratory lighting section of the draft ordinance. It was agreed that the maximum lumens for celebratory lighting should be 5,000 lumens.

The Temporary Lighting exception was amended to read "Temporary lighting for infrequent or irregular private events or gatherings not exceeding a time period of 3 days.

The Safety and contingency lighting exception was changed to read “necessary for emergencies or temporary construction, or as otherwise authorized by a public agency.”

The Mounting Height performance standard was changed to read “Pole Length – The pole length of pole-mounted fixtures shall not exceed 20 feet in residential and agricultural zones, and 25 feet in all other zones.

The Committee set their next meeting for Monday, April 4<sup>th</sup> at 6:30pm.

Tony Goe moved to adjourn the meeting. Greer Jones seconded the motion. The meeting adjourned at 8:37 p.m.